

WINTER & CHRISTMAS COLLECTION



New, garden




be happy

the magical light of the mediterranean in winter <u>HRISTMAS COLLECTION</u>





WINTER COLLECTION















# CHRIST WOW



### INDEX floor LAMPS/C Lighting

FLOOR LAMPS/CHLOE		19	STELLA	55	
ng	ROCKET	21	LUCEO	51	
0	LOLA SLIM 180	23	HANGING/AMALFI HANG INDOOR	43	
	FITY	25	BOSSA HANG INDOOR	44	
	BRUNA 165	27	SISINE HANG INDOOR	44	
	SISINE 70	29	SAONA HANG INDOOR	45	
	SAONA 70	31	TABLE LAMPS/ BOSSA 30 INDOOR	32	
GARLANDS/ALLEGRA		53	SAONA 30 INDOOR	31	
			SISINE 30 INDOOR	33	

	58	STELLINA	63
	59	DECORATIVE/LUA	65
	60		67
NA	61		69
INA	62	SIMONA Y SELENA	70

	/	GARL
Chr	isth	naz

### TECHNICAL DATA

CHLOE 35 INDOOR	35
ROCKET 20	36
ENOKI	37
LOLA SLIM 30	39
LOLA 20	41
TALS/BULY FAMILY INDOOR	47
TIVE/GUFO	26
	49

### RUDY 71 NOVA 73 PINUS 75 AMELIO 77
















### Rocket decovative lamp

Rocket 70







# Lolaslim\_\_\_\_














+ Info P. 96









### Sistine loov lamp


Options Light / Cable + Info P. 90















### Bossa















### Rocket 20







## LOLA SLIM Taple lamp

ø11 Options Battery ••••••• Light

+ Info P. 94





LOLA

011 07

Lola 20

Options Light X Battery III + Info P. 94




















## Boramande








Bora

























Options Light / Cable • • • • + Info P. 91








Options Light / Cable + Info P. 91















Options			x30			
Light	۶	Cable		-		
_		+ Info P. 91	Lia			10
	+ INIO P. 9	+ INIO P. 91			150	290



Options Light | 🎽 C

Cable + Info P. 92

 $\frac{\bigcirc}{\emptyset 6}$  X10 Mare






















### Stellinagavland Options Light 🗡 Cable **XX10** 7,5 + Info P. 92 Stellina





# IJA allection










Lua 10 Lua 20 x3 units




## Sising













WITHOUT CABLES

Light 🎽 Solar & battery 🚛 + Info P. 99

Simona + Selena

<u></u> Ø12,5 <sup>™</sup>






























# Amelio



# Technical Data

# **1- MATERIALS**

	Material
	Polyethylene (PE)
	ABS
Plastic	PVC
	Silicone
	PP Difusor
Mahal	Iron Painted
Metal	Steel
	Rattan*
	Jute*
Organic	Seagrass *
	Beech Wood *
	Coconut/cane *
Glass	Glass

(\*) For a correct maintenance, it is advisable to protect it from rain, direct exposure to the sun and sudden changes in temperature. Bamboo, rattan, beech or seagrass are natural materials, reason why changes of colour or cracks can happen. Ilf they are going to be exposed to natural elements, it is recommended to protect them regularly with some oil or varnish adapted to the specific material, so the protection to rain and UVA rays will be prolonged and the life of the product can be extended. To clean them up, use a cloth or brush to remove dust and rub gently with a slightly oistened sponge.

The possible differences between the original color, illumination and color captured are due to the printing technique. NEWGARDEN reserves the right over photographs and designs made, so it is forbidden the manufacture, distribution and / or marketing shown on any media or any broadcasting means.

NEWGARDEN reserves the right to modify, in whole or in part, without prior notice, any information or technical specification of this publication. All the information that appears in this catalog in terms of dimensions and capacity are approximate and are susceptible to variations due to improvements in the production process.

## #BeHappy

@ Copyright. 2021. Newgarden Spain.
 Todos los derechos reservados

Alhama de Murcia. Murcia (Spain) T. +34 968978806

# 1. Materials

- 2. Polyethylene Textures
- 3. Colours & Finishes
- 4. Use according to IP
- 5. Lighting System
- 6. Glossary
- 7. Measurement & References
  - . Lighting
    - . Floor lamps
    - . Garlands
    - . Decorative
    - . Hang
    - . Table Lamps
    - . Essentials
    - . Christmas

Find it at:
It is mainly found in products manufactured by rotational moulding.
Enoki, Bianca
Coating of the Garland bulbs.
Rocket 20
Lola Slim 30
Lola slim, Amalfi hang, Stellina
Weight Fity
Amalfi, Bossa, Saona
Allegra garland, Lia, Pallina, Mare
Sisine
Chloe, Rocket family
Carina
Simona and Selena bulb

# **2 - POLYETHYLENE TEXTURES**

The finishes of Newgarden products made of polyethylene have a visually smooth and soft granulated finish that is very pleasant to the touch.

**SMOOTH TEXTURE** Polyethylene

# **3- COLOURS & FINISHES**

# **TRANSLUCENTS** polyethylene



# **Other materials**



# **4- USE ACCORDING TO IP**

We are going to explain in a very simple way the possibilities of use of Newgarden products according to their IP (index of protection of the electrical or electronic system against external agents)

IP20

Newgarden products with IP20 can only be used indoors, the electrical system, switches or cables must be protected from direct contact with water. Remember that although the product is made of Polyethylene resistant to the outside, this electrical system is designed for **indoor use only.** 



IP43 / 44 prote and prode of na parts from and I after verv

Newgarden products with IP 43 / 44 can be used outdoors, it is protected against dust and weak and very moderate rain. If this product also has accessories made of natural fibres, wood or metal parts, it is advisable to protect it from direct contact with water and humidity. Store in a dry place after use. In the event of rain or very adverse weather conditions, it should be protected from the elements to avoid future problems.



**IP65** 

Newgarden products with IP 54 can be used outdoors, they are protected against dust and light rain. If this product also has accessories made of natural fibres, wood or metal parts, it is advisable to protect it from direct contact with water and humidity. Store in a dry place after use. In case of rain or very adverse weather conditions it must be protected from the weather to avoid future problems.




be used outdoors, they are airtight against dust and rain. If this product also has accessories made of natural fibres, wood or metal parts, it is advisable to protect it from direct contact with water and humidity. Store in a dry place after use. In case of rain or very adverse weather conditions it must be protected from the weather to avoid future problems.

Newgarden products with IP 65 can



# **5- LIGHTING SYSTEM**





Remote control

(INCLUDED)




Dimmable Adjustable light intensity



Outdoor & indoor use













Warm LED light Bulb 2700K (INCLUDED)



Outdoor & indoor use



Adjustable light intensity.

**IP44** 


Outdoor & indoor use



Dimmable Adjustable light intensity.



Outdoor & indoor use





E27 bulb cap







Twilight sensor



Dimmable Adjustable light intensity and temperature



Outdoor & indoor use



Dimmable Adjustable light intensity.



Outdoor & indoor use

# 6. GLOSSARY

This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.



**COLD LIGHT** LUZ FRÍA KALTES LICH LUMIÈRE FROIDE



WARM PORTABLE **RECHARGEABLE BULB LIGHT** BOMBILLA RECARGABLE PORTÁTIL LÚZ CÁLIDA WARMES LICHT TRAGBARE WIEDERAUFLADBARE GLÜHBIRNE AMPOULE PORTABLE RECHARGEABLE À LUMIÈRE CHAUDE



DIMMER DIMABLE DIMMBAR DIMABLE



**RGB LIGHT** 

**RGB-BELICHTUNG** 

LUMIÈRE RGB

LUZ RGB

LED TUBE TUBO LED LED-ROHR TUBE LED



**TWILIGHT SENSOR** SENSOR CREPUSCULAR DÄMMERUNGSSENSOR CAPTEUR CRÉPUSCULAIRE



WARM LIGHT LUZ CÁLIDA WARMES LICHT LUMIÈRE CHAUDE



**REMOTE CONTROL** MANDO A DISTANCIA FERNBEDIENUNG TÉLÉCOMMANDE





HANGING PRODUCTS COLGANTE ANHÄNGIGE EN SUSPENS




LIGHTING				
		<ul><li>P.93 ESSENTIALS</li><li>P.94 DECORATIVE</li></ul>		BLE P.96 RISTMAS P.97
FLOOR LAMPS				
CHLOE 140		N&OUT Indoor & Outdoor use ——— cm   Gross Weight (Packaged Weight): 5,:	ـــــــــــــــــــــــــــــــــــــ	Im REFERENCES 860 LUMCHL140INOUTNW
FITY 100	Cable Jute   1	IN&OUT Indoor & outdoor use IN&OUT Indoor & outdoor use ,5 cm   Gross Weight (Packaged Weight):		1.350 LUMFT1000CNW
FITY 160	Cable Jute	IN&OUT Indoor & outdoor use IN&OUT Indoor & outdoor use 2,5 cm   Gross Weight (Packaged Weight)		2.100 LUMFT160OCNW
LOLA SLIM 180 OPTIC	— Cable Jute   IN&OUT Inc	door & outdoor use  ● Rose gold col door & outdoor use  ● Brass colour–		











# GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.


🕅 White light (included) 🕴 Warm light (included) 🍀 RGB light (included) 🐐 Warm light portable rechargeable battery (included) 🚻 Led tube lighting (included) 🗓 Remote control (included) 🏙 Dimmable 🚯 Hanging product 🛛 <table-cell-columns> Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.



**TOUCH CONTROL** CONTROL TÁCTIL BERÜHRUNGSKONTROLLE CONTRÔLE DES TOUCHES


Packaging: 47 x 54 x 57,5 cm | Gross Weight (Packaged Weight): 19,65kg | Weight stability included.

## **ROCKET 70**












**SISINE 70** 



Ø48

Dimensions (cm)

	Packaging: 50,4 x 50,4 x 74 cm   Gross Weight (Packaged Weight): 4 kg SAONA 70 CABLE JUTE INDOOR BULB NOT INCLUDED (E27)		
nsions (cm)			
	OPTIONS	lm	REFERENCES
_	Cable Jute   Indoor use Cable Jute   IN&OUT Indoor & outdoor use		LUMSIS070XXIXNW LUMSIS070XXIONW
	Packaging: 50,4 x 50,4 x 74 cm   Gross Weight (Packaged Weight): 4 kg		
	SISINE 70 CABLE JUTE INDOOR BULB NOT INCLUDED (E27)		


GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.

**OPTIONS** 

Cable Jute | Indoor use -

Cable Jute | IN&OUT Indoor & outdoor use—

🤴 White light (included) 🤴 Warm light (included) 🌾 RGB light (included) 🖓 Warm light portable rechargeable battery (included) 📲 Led tube lighting (included) 🗓 Remote control (included) 🏙 Dimmable 🚯 Hanging product 🛛 🞣 Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.



GARLANDS

REFERENCES

Im

lm

— 🔆 🔆 IP65 🗓 📶 460 LUMSAO070XXIONW

IP20 -

REFERENCES

LUMSAO070XXIXNW

## GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.


🔻 White light (included) 🍍 Warm light (included) 🌹 RGB light (included) 🐐 Warm light portable rechargeable battery (included) 🔛 Led tube lighting (included) 🖥 Remote control (included) 🏙 Dimmable 🚯 Hanging product 🛛 🐖 Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.

	Im	REFERENCES	
r use   🗕 Jute cable 💥 IP44 🚯	35*10	LUMGASXXOCNW	
r use  O White cable 🔆 IP44 🚯	35*10	LUMGALLOCBXNW	
r use 🔎 Pink cable 🔆 IP44 🔒	35*10	LUMGALLOCRNW	
r use   🖲 Black cable 🔅 1944 🚯	35*10	LUMGALLOCNNW	
r use   🖲 Black cabl <u>e 🛛 🔅 🕴  </u>	20*10	LUMGALLRGBNW	

four garlands		
	lm	REFERENCES
r use   Transparent ropeiii 1944 🕀	35*10	LUMGSTLOCNW
ss Weight (Packaged Weight): 0,4kg		
	lm	REFERENCES
r use   Transparent cableiii 1944 🕀	NA	LUMBIA450XXOCNW
Gross Weight (Packaged Weight): 0,3Kg		
	Im	REFERENCES


Im REFERENCES – Cable | Indoor & outdoor use | Black cable 🌒 🔜 👘 📭 🕂 😯 🗛 🛛 LUMCAR330XXOCNW

		Im	REFERENCES
r use  Cable jute 🔴	iP44 🕀	NA	LUMLIA440XXOCNW



GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.


🖗 White light (included) 🔅 Warm light (included) 🍀 RGB light (included) 🐐 Warm light portable rechargeable battery (included) 📲 Led tube lighting (included) 🗓 Remote control (included) 🚻 Dimmable 🏮 Hanging product 🛛 🖅 Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.



GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.

🚏 White light (included) 🕴 Warm light (included) 🌹 RGB light (included) 👯 Warm light portable rechargeable battery (included) 🚛 Led tube lighting (included) 🗓 Remote control (included) 🏙 Dimmable 🏮 Hanging product 🛛 🖅 Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.

			REFERENCES
	_ IP20 🕻	-	LUMAMA080XXHINW
ikaged Weight): 3,7kg   Cable: 1,8 m	Installati	on required	d.
		lm	REFERENCES
	IP20 <b>()</b>	-	LUMAMA050XXHINW
kaged Weight): 2,2kg   Cable: 1,8 m	Installati	on require	d.
		Im	REFERENCES
	IP20 <b>()</b>	-	LUMBOS020XXHINW
(Packaged Weight) 16kg / Cabler 1-	m   Inct	allation ros	nuired
(Packaged Weight): 1,5kg   Cable: 1,5	m   Insta	allation rec	ιuired.
(Packaged Weight): 1,5kg   Cable: 1,5	m   Inst		REFERENCES
		Im	
	- IP20 <b>(</b>	<b>Im</b> ) -	<b>REFERENCES</b> LUMSAO050XXHINW
	- IP20 <b>(</b>	Im ) -	<b>REFERENCES</b> LUMSAO050XXHINW
(Packaged Weight): 2kg   Cable: 1,5 m	– IP20 🖡	Im ) - ation requi	REFERENCES LUMSAO050XXHINW red.




🔻 White light (included) 🤴 Warm light (included) 🌾 RGB light (included) 👯 Warm light portable rechargeable battery (included) 🔛 Led tube lighting (included) 📱 Remote control (included) 🏙 Dimmable 🚯 Hanging product 🛛 🖅 Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.

# GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.

🔻 White light (included) 🍍 Warm light (included) 🍍 RGB light (included) 🐐 Warm light portable rechargeable battery (included) 🔛 Led tube lighting (included) 🗓 Remote control (included) 🏙 Dimmable 🚯 Hanging product 🛛 🖅 Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.

		Im	REFERENCES
door & outdoor use ———			
Weight (Packaged Weight): 0,35kg.			
		Im	REFERENCES
	IP20 🏑	-	LUMSAO030XXIXNW
ight (Packaged Weight): 1,5kg.			
		Im	REFERENCES
	1020		
	iP20 <i>/</i> /	-	LUMSIS030XXIXNW
ight (Packaged Weight): 1,4kg.			
		Im	REFERENCES
	🏹 IP2		LUMBLL020XXICNW
	•		
(Packaged Weight): 0,8kg.			
		Im	REFERENCES
		600	LUMBLL030XXICNW
Packaged Weight): 1,2kg.			



GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.

🕸 White light (included) 👋 Warm light (included) 🧚 RGB light (included) 💐 Warm light portable rechargeable battery (included) 📲 Led tube lighting (included) 🗓 Remote control (included) 🏢 Dimmable 🚯 Hanging product 🛛 🖅 Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.

			lm	REFERENCES
ery   Indoor & outdoor use 🕅 👘 🗰	P65 🗒 👖	(:	600	LUMGFT020XXSSNW
ght (Packaged Weight): 1,2kg.				
			lm	REFERENCES
ery   Indoor & outdoor use 🖗 🌾 🛚	P65 🗒 🚺	Ċ	600	LUMGFT032XXSSNW
ight (Packaged Weight): 2,8kg.				
			lm	REFERENCES
æry   Indoor & outdoor use 🔅 🔅 👘 ।	P65 🗓 🚺		600	LUMGFT040XXSSNW
ight (Packaged Weight): 4,5kg.				
		lm	R	EFERENCES
outdoor use	🔆 IP20	NA	LL	JMLUA010BRAANW
Veight (Packaged Weight): 1kg.				
		lm	R	EFERENCES
tdoor use	₩F IP20	NA	LL	JMLUA020BRAANW
ight (Packaged Weight): 1,3kg.				

## GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.

NOVA 45	OPTIONS Ir	m REFERENCES	RUDY	OPTIONS	REFERENCES
$\frac{100}{46}$	₩ + * Solar & Rechargeable Battery   Indoor & outdoor use * * * * IP65 B III & 4	00 LUMNV045ICNW 5 LUMNV045SSNW	40 9 30 Dim		0 LUMRD035ICNW
Dimension NOVA 60		00 LUMNV0600FNW	SELENA $\infty$ $14$ Dimension	OPTIONS     Im       Selena bulb   Indoor & outdoor use     200       Packaging: 18,5 x 15 x 6,5 cm   Gross Weight (Packaged Weight): 0,2kg     200       SELENA bulb exclusive for SIMONA     200	REFERENCES
PINUS 40	ns (cm)	Im REFERENCES 250 LUMPN040ICNW 45 LUMPN040SSNW	SIMONA	OPTIONS     Im       Im     Im       Im<	REFERENCES LUMSIM180XXSWNW
19 Dimensions (c PINUS 100 78.4 8	OPTIONS	Im         REFERENCES           1400         LUMPN100ICNW           360         LUMPN100TWLNW           1400         LUMPN100FNW	SISINE STAR 40 40x12.5 Q	OPTIONS Im Rechargeable Battery   Indoor & outdoor use	REFERENCES
Dimensions (c PINUS 160 118		Im REFERENCES	SISINE STAR 60	OPTIONS Im Rechargeable Battery   Indoor & outdoor use	REFERENCES
g Line since the second	Cable warm light   Indoor & outoor use	415 LUMPN160TWLNW	AMELIO		n REFERENCES

# GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.

🔅 White light (included) 🕴 Warm light (included) 🇚 RGB light (included) 🐐 Warm light portable rechargeable battery (included) 🔛 Led tube lighting (included) 🗓 Remote control (included) 📗 Dimmable 🟮 Hanging product 🛛 🖅 Touch control IP Indicates the level of protection of the electrical or electronic equipment against the entry of external agents: dust or water.

# GLOSSARY This technical catalogue is subject to periodic updates, the measurements or finishes may vary in future revisions.

ϔ White light (included) 🕴 Warm light (included) 🌾 RGB light (included) 🤴 Warm light portable rechargeable battery (included) 🔛 Led tube lighting (included) 

 Image: White light (included)
 Image: RGB light (included)
 the entry of external agents: dust or water.

NEWGARDEN.ES